

## Referências

Ana Cristina Teixeira Bonecker  
Claudia Akemi Pereira Namiki  
Márcia Salustiano de Castro  
Paula Nepomuceno Campos

SciELO Books / SciELO Livros / SciELO Libros

BONECKER, ACT., *et al.* Referências. In *Catalogo dos estágios iniciais de desenvolvimento dos peixes da bacia de Campos* [online]. Curitiba: Sociedade Brasileira de Zoologia, 2014, pp. 286-295. Zoologia: guias e manuais de identificação series. ISBN 978-85-98203-10-2. Available from SciELO Books <<http://books.scielo.org>>.

---



All the contents of this chapter, except where otherwise noted, is licensed under a Creative Commons Attribution-Non Commercial-ShareAlike 3.0 Unported.

Todo o conteúdo deste capítulo, exceto quando houver ressalva, é publicado sob a licença Creative Commons Atribuição - Uso Não Comercial - Partilha nos Mesmos Termos 3.0 Não adaptada.

Todo el contenido de este capítulo, excepto donde se indique lo contrario, está bajo licencia de la licencia Creative Commons Reconocimiento-NoComercial-CompartirIgual 3.0 Unported.

## REFERÊNCIAS

- ALMEIDA, E.M., 2001. Estrutura da população, crescimento e reprodução de *Maurolicus stehmanni* Parin & Kobylansky, 1993 (Teleostei: Sternoptychidae) na Zona Econômica Exclusiva do Sul e Sudeste do Brasil. Dissertação de Mestrado. Universidade de São Paulo. 115 p.
- AMBROSE, D.A., 1996a. Paralepididae: Barracudinas. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi, Atlas n° 33, p. 352-367.
- AMBROSE, D.A., 1996b. Anotopteridae: Daggertooth. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi, Atlas n° 33, p. 369-371.
- AMBROSE, D.A., 1996c. Coryphaenidae: Dolphinfishes. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 959-963.
- AMBROSE, D.A., 1996d. Gempylidae: Snake Mackerels. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1258-1269.
- AMBROSE, D.A., 1996e. Scombridae: Mackerels & Tunas. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1270-1285.
- ANDERSON, W.D. Jr., 2003. Symphysanodontidae. In: CARPENTER, K.E. (Ed.). *The Living Marine Resources of the Western Central Atlantic. Bony Fishes Part 1 (Acipenseridae to Grammatidae)*. FAO, p. 1304-1307.
- ANDERSON, W.D. Jr.; SPRINGER, V.G., 2005. Review of the perciform fish genus *Symphysanodon* Bleeker (Symphysanodontidae), with descriptions of three new species, *S. mona*, *S. parini*, and *S. rhax*. *Zootaxa* v. 996, p. 1-44.
- ARAÚJO, F.G.; SANTOS, A.C. de A., 1999. Distribution and recruitment of Mojarra (Perciformes, Gerreidae) in the continental margin of Sepetiba Bay, Brazil. *Bulletin of Marine Science*, n. 2, p. 431-439.
- BADCOCK, J.; BAIRD, R.C., 1980. Remarks on systematics, development, and distribution of the hatchetfish genus *Sternoptyx* (Pisces, Stomiatoidei). *Fishery Bulletin*, v. 77, n. 4, p. 803-820.
- BALDWIN, C.C.; SMITH, D.G., 2003. Larval Gobiidae (Teleostei: Perciformes) of Carrie Bow Cay, Belize, Central America. *Bulletin of Marine Science*, v. 72, p. 639-674.
- BARROS, F.B.A.G.; CASTRO, M.S.; BONECKER, A.C.T., 2006a. Syngnathiformes. In: BONECKER, A.C.T.; CASTRO, M.S. (Eds) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. p. 167-175.
- BARROS, F.B.A.G.; CASTRO, M.S.; BONECKER, A.C.T., 2007. Description and distribution of the larvae of two species of Fistulariidae (Teleostei, Syngnathiformes) in the southeastern Brazil. *Biota neotropica*, v.7, n. 1, p. 105-108.
- BARROS, F.B.A.G.; NAMIKI, C.A.; CASTRO, M.S., 2006b. Tetraodontiformes. In: BONECKER, A.C.T.; CASTRO, M.S. (Eds.) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. Museu Nacional. p. 191-202.
- BERTELSEN, E.; KREFFT, G.; MARSHALL, N. B., 1976. The fishes of the family Notosudidae. *Dana-Report Carlsberg Foundation*. v. 86, p. 1-114.
- BOND, G.W. Jr.; TIGHE, K.A., 1974. A diagnostic character for rapid identification of lightly pigmented species of the genus *Cyclothone* (Gonostomatidae) in the North Atlantic. *Copeia*, v. 1974, n.1, p. 272-275.
- BONECKER, A.C.T.; BONECKER, F.T.; BARROS, F.B.A.G., 2006. Beryciformes. In: BONECKER, A.C.T.; CASTRO, M.S. (Eds.) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. Museu Nacional. p. 161-165.
- BONECKER, A.C.T.; CASTRO, M.S. (Eds.), 2006. *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. Museu Nacional. 214 p.
- BONECKER, A.C.T.; KATSURAGAWA, M.; CASTRO, M.S.; GOMES, E.A.P.; NAMIKI, C.A.P.; ZANI-TEIXEIRA, M.L., 2013. Larval fish of the Campos Basin, southeastern Brazil. *Check List*. V. 8, n. 6, p. 1280-1292.

- BONECKER, F.T.; BONECKER, A.C.T.; CASTRO, M.S.; NAMIKI, C.A.; BARROS, F.B.A.G., 2006a. Stomiiformes. In: BONECKER, A.C.T.; CASTRO, M.S. (Eds.) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. Museu Nacional. p. 75-98.
- BONECKER, F.T.; NAMIKI, C.A.; CASTRO, M.S.; 2006b. Aulopiformes. In: BONECKER, A.C.T.; CASTRO, M.S. (Eds.) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. Museu Nacional. p. 99-121.
- BURGESS, W.E., 2002a. Perciformes: Percoidei: Chaetodontidae: Butterflyfishes. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1663-1672.
- BURGESS, W.E., 2002b. Perciformes: Percoidei: Pomacanthidae: Angelfishes. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1673-1678.
- CAMPOS, P.N.; BONECKER, A.C.T.; de CASTRO, M.S., 2008. Pisces, Melamphaidae, *Poromitra capito* Goode & Bean, 1883 and *Melamphaes simus* Ebeling, 1962: Distribution extension to the western South Atlantic Ocean. *Check List*, v. 4, n. 3, p. 275-278.
- CARTER, J.A., 2002. Perciformes: Labroidei: Pomacentridae: Damselfishes. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1694-1700.
- CASTRO, M.S.; BONECKER, A.C.T., 2005. Leptocephali collected off the eastern coast of Brazil (12°S-23°S). *Zootaxa* 935, p. 1-28.
- CASTRO, M.S.; BONECKER, A.C.T., 2006a. Anguilliformes. In: Bonecker, A.C.T.; Castro, M.S. (Eds.) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. Museu Nacional. p. 39-74.
- CASTRO, M.S.; BONECKER, A.C.T., 2006b. Distribution of larval Stomiidae of the Brazilian central coast, southwest Atlantic Ocean (12°S-22°S). *Zootaxa* 1236, p. 23-36.
- CASTRO, M.S.; BONECKER, A.C.T., 2006c. Myctophiformes. In: Bonecker, A.C.T.; Castro, M.S. (Eds.) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. Museu Nacional. p. 123-152.
- CIECHOMSKI, J.D., 1965. Observaciones sobre la reproducción, desarrollo embrionario y larval de la anchoíta argentina (*Engraulis anchoita*). *Boletín del Instituto de Biología Marina*, n. 9, p. 1-29.
- COLLETTE, B.B., 2002a. Perciformes: Percoidei: Pomatomidae: Bluefishes. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1412-1413.
- COLLETTE, B.B., 2002b. Perciformes: Scombroidei: Scombridae: Mackerels and tunas. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1836-1848.
- COLLETTE, B.B., 2006. Hemiramphidae: Halfbeaks. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 933-954.
- COMYNS, B.H.; BOND, P.J., 2006. Phycidae: Phycid hakes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 639-656.
- COTTON, N.; COMYNS, B.H., 2006. Exocoetidae: Flyingfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 955-990.
- CRIALES, M.M., 2006. Cirrhitidae: Hawkfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1823-1826.
- DAWSON, C.E.; VARI, R.P., 1982. Order Gasterosteiformes, Suborder Syngnathoidei. Syngnathidae (Doryrhamphinae, Synganthinae, Hippocampinae). In: BÖHLKE, J.E.; COHEN, D.M.; COLLETE, B.B.; ESCHMEYER, W.N.; GIBBS Jr., R.H.; PIETSCH, T.W.; RICHARDS, W.J.; SMITH, C.L.; THOMSON, K.S. (Eds.). *Fishes of the Western North Atlantic. Memoir Sears Foundation for Marine Research. n.1 pt. 8*, 198 p.
- DITTY, J.G., 2006a. Scopelarchidae: Pearleyesfishes. In: RICHARDS, W.J. (Ed.) *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 429-442.
- DITTY, J.G., 2006b. Paralepididae. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 385-428.

- DITTY, J.G., 2006c. Evermannellidae. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 375-384.
- DITTY, J.G., 2006d. Coryphaenidae: Dolphinfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1511-1516.
- DITTY, J.G., 2006e. Pomatomidae: Bluefishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1425-1428.
- DITTY, J.G.; FAROOQI, T.; SHAW, R.F., 2006a. Order Aulopiformes: Aulopidae & Synodontidae (Suborder Synodontoidei). In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 301-324.
- DITTY, J.G.; FAROOQI, T.; SHAW, R.F., 2006b. Mullidae: Goatfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1731-1744.
- DITTY, J.G.; FAROOQI, T.; SHAW, R.F., 2006c. Mugilidae: Mulletts. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 891-900.
- DITTY, J.G.; KILFOYLE, K.; FAROOQI, T.; SHAW, R.F., 2006d. Order Syngnathiformes: Families Aulostomidae, Centriscidae, Fistulariidae. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1121-1123.
- DITTY, J.G.; SHAW, R.F.; COPE, J.S., 2004. Distribution of carangid larvae (Teleostei: Carangidae) and concentrations of zooplankton in the northern Gulf of Mexico, with illustrations of early *Hemicaranx amblyrynchus* and *Caranx* spp. Larvae. *Marine Biology* v.145, p. 1001-1014.
- DITTY, J.G.; SHAW, R.F.; FAROOQI, T.W., 2006. Sphyraenidae: Barracudas. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2135-2148.
- ESCHMEYER, W.N. Catalog of Fishes. Disponível em <http://www.calacademy.org/research/ichthyology/catalog/>. Acesso em 24/01/2014.
- FAHAY, M.P., 1983. Guide to the Early Stages of Marine Fishes Occurring in the Western North Atlantic Ocean, Cape Hatteras to the Southern Scotian Shelf. *Journal of Northwest Atlantic Fishery Science*, v. 4, p. 1-423.
- FAHAY, M.P., 2007. Early Stages of Fishes in the Western North Atlantic Ocean (Davis Strait, Southern Greenland and Flemish Cap to Cape Hatteras). Northwest Atlantic Fisheries Organization. 1696 p.
- FAHAY, M.P.; HARE, J.A., 2006. Order Ophidiiformes, Aphyonidae, Bythitidae, Ophidiidae. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group, v.1, p. 661-748.
- FIGUEIREDO, J.L.; MENEZES, N.A., 1980. *Manual de Peixes Marinhos do Sudeste do Brasil. III. Teleostei (2)*. Museu de Zoologia da Universidade de São Paulo, São Paulo. 90 p.
- FIGUEIREDO, J.L.; MENEZES, N.A., 2000. *Manual de Peixes Marinhos do Sudeste do Brasil. VI. Teleostei (5)*. Museu de Zoologia da Universidade de São Paulo, São Paulo. 116 p.
- FRANCO, M.A.L.; COSTA, P.A.S.; BRAGA, A.C. 2007. New records of Aphyonidae (Teleostei: Ophidiiformes) from the south-western Atlantic. *Journal of Fish Biology*, v. 71, p. 908-912.
- FREIRE, K.M.F.; CARVALHO-FILHO, A. 2009. Richness of common names of Brazilian reef fishes. *Pan-American Journal of Aquatic Sciences* v. 4, p. 96-145.
- FRIAS-TORRES, S., 2006a. Melamphaidae: Bigscale fishes or ridgeheads. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1067-1074.
- FRIAS-TORRES, S., 2006b. Syngnathidae: Seahorses & pipefishes. In: RICHARDS, W.J. (Ed.) *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1133-1138.
- FRICKE, R., 2002. Perciformes: Perciformes: Callionymoidei: Callionymidae Dragonets. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 3549-3566.

- FROESE, R.; PAULY, D. (Eds.), 2014. Disponível em *FishBase* (World Wide Web electronic publication). www.fishbase.org, version. Acesso em 23/01/2014.
- GARCIA, M.L.; C.C. MORGAN., 2002. *Poromitra crassiceps* (Teleostei, Melamphaidae) associated with the 500 fathoms fauna off Argentina. *Journal of Applied Ichthyology* v. 18, p. 216-218.
- GASPARINI, J.L.; ROCHA, L.A.; FLOETER, S.R., 2001. *Ptereleotris randali* n. sp., a new dartfish (Gobioidei, Microdesmidae) from the Brazilian Coast. *Journal of Ichthyology and Aquatic Biology*, v. 4, n. 3, p. 109-114.
- GILMORE JR., R.G.; GREENFIELD, D.W., 2002. Perciformes: Percoidei: Gerreidae: Mojarra. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1506-1513.
- GOMES, E.A.P.; BONECKER, A.C.T., 2014. Larval Description of *Ptereleotris randalli* Gasparini, Rocha & Floeter, 2001 (Teleostei, Perciformes: Ptereleotridae) from the Western South Atlantic Ocean. *Zootaxa*. In press.
- GREY, M., 1964. Family Gonostomatidae. In: BIGELOW, H.B.; BREDER, C.M.; COHEN, D.M.; MEAD, G.W.; MERRIMAN, D.; OLSEN, Y.H.; SCHROEDER, W.C.; SCHULTZ, L.P.; TEE-VAN, J. (Eds.). *Fishes of the Western North Atlantic. Memoir Sears Foundation for Marine Research*, nº1 Pt. 4. p. 79-240.
- HARDY, J.D., 2006a. Scorpaenidae: Scorpionfishes. In: RICHARDS, W.J. (Ed.) *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1141-1179.
- HARDY, J.D., 2006b. Symphysanodontidae: Bunguelovelies, wampeejawedfishes, shelf beauties, slopefishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1337-1340.
- HARDY, J.D., 2006c. Chiasmodontidae: Swallowers. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1901-1916.
- HARDY, J.D.; COLLETTE, B.B., 2006. Scomberesocidae: Sauries. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 905-908.
- HARE, J.A.; MARANCIK, K.E.; GREENE, M.D., 2006. Bregmacerotidae: Codlets, Unicorn cods. In: RICHARDS, W.J. (Ed.) *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 583-594.
- HAROLD, N.A.S.; BALZEGAR, D.A., 2003. A new widely distributed species of *Bregmaceros* (Teleostei: Bregmacerotidae) from the Atlantic Ocean. 2003 *Joint Meeting of Ichthyologists and Herpetologists*, de 26/06 a 01/07/2003, Manaus (Brasil). (Em resumo).
- HEEMSTRA, P.C., 2002. Perciformes: Percoidei: Acropomatidae Temperate ocean-basses. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1299-1303.
- HEEMSTRA, P.C.; RANDALL, J.E., 2002. Perciformes: Percoidei: Serranidae: Groupers and sea basses (also, soapfishes, anthiines, etc.). In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 2442-2473.
- HOUDE, E.D., 1981. Distribution and abundance of four types of codlet (Pisces: Bregmacerotidae) larvae from the Eastern Gulf of Mexico. *Biological Oceanography*, v. 1, n. 1, p. 81-104.
- HOUDE E.D., 1984. Bregmacerotidae: Development and relationships. In: MOSER, H.G.; RICHARDS, W.J.; COHEN, D.M.; FAHAY, M.P.; KENDALL Jr., A.W.; RICHARDSON, S.L. (Ed.). *Ontogeny and Systematics of Fishes*. American Society Ichthyologists and Herpetologists, Special Publication. v. 2, p. 300-308.
- JACKSON, T.L., 2006a. Antennariidae: Anglerfishes, frogfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 783-790.
- JACKSON, T.L., 2006b. Acanthuridae: Surgeonfish, doctor fish, tang. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2119-2132.
- JIMENEZ-ROSENBERG, S.P.A.; GONZALEZ-NAVARRO, E.A.; SALDIERNA-MARTINEZ, R.J., 2006. Larval, prejuvenile and juvenile development of *Eucinostomus currani*. *Journal of Fish Biology*, n. 69, p. 28-37.
- JOHNSON, R.K., 1974. A Revision of the Alepsauroid Family Scopelarchidae (Pisces: Myctophiformes). *Fieldiana. Zoology. Museum of Natural History*, v. 66, p. 1-249.



- JONES, D.L.; LARA, M.R.; W.J. RICHARDS., 2006a. Labridae: Wrasses. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1835-1872.
- JONES, D.L.; LARA, M.R.; RICHARDS, W.J., 2006b. Scaridae: Parrotfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p.1873-1892.
- KATSURAGAWA, M.; MATSUURA, Y., 1992. Distribution and Abundance of carangid larvae in the southeastern Brazilian Bight during 1975-1981. *Boletim do Instituto Oceanográfico*, São Paulo, v.40, n.1, p. 155-78.
- KELLY, S., 2006a. Chaetodontidae: Butterflyfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1763-1766.
- KELLY, S., 2006b. Pomacanthidae. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1767-1786.
- KENDALL, A.W.; AHLSTROM, E.H.; MOSER, H.G., 1984. *Early Life History Stages of Fish and their Characters*. In: MOSER, H.G.; RICHARDS, W.J.; COHEN, D.M.; FAHAY, M.P.; KENDALL Jr., A.W.; RICHARDSON, S.L. (Eds.). *Ontogeny and Systematics of Fishes*. American Society of Ichthyologists and Herpetologists, Special Publication nº 1. p. 11-22.
- KOTLYAR, A.N., 2004. Family Melamphaidae Gill 1893 - bigscales. *Bulletin of the Southern California Academy of Sciences*. Annotated Checklists of Fishes. nº 29.
- KURTZ, F.W.; MATSUURA, Y., 1994. Early Development of Four Tonguefishes of the Genus *Symphurus* (Osteichthyes: Cynoglossidae) from the Southern Brazil. *Japanese Journal of Ichthyology*, v. 41 n. 2, p. 141-148.
- LAMKIN, J.T., 2006. Nomeidae. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2255-2272.
- LARA, M.R., 2006a. Apogonidae: Cardinalfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1363-1400.
- LARA, M.R., 2006b. Bothidae: Lefteye flounders. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2327-2344.
- LAROCHE, W.A.; DITTY, J.G.; LAMKIN, J.T.; WHITCRAFT, S.R., 2006. Carangidae: Jacks. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1439-1510.
- LAST, P.R., 2002. Perciformes: Stromateoidei: Nomeidae: Driftfishes (cigarfishes). In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 3771-3779.
- LEIBY, M.M., 1989. Family Ophichthidae: Leptocephali. In: BÖHLKE, E.B. (Ed.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, nº1, Pt. 9: v. 2, p. 764-897.
- LEIS, J.M.; RENNIS, D.S., 1983. *The Larvae of Indo-Pacific Coral Reef Fishes*. New South Wales University Press. Sidney, 269 p.
- LEIS, J.M.; RICHARDS, W.J., 1984. Acanthuroidei: development and relationships. In: MOSER, H.G.; RICHARDS, W.J.; COHEN, D.M.; FAHAY, M.P.; KENDALL, A.W. Jr.; RICHARDSON, S.L. (Eds.) *Ontogeny and systematics of fishes*. American Society of Ichthyologists and Herpetologists., Special Publication nº1, p. 547-551.
- LEIS, J.M.; TRNSKI, T., 2000. Symphysanodontidae. In: LEIS, J.M.; CARSON-EWART, B. M. (Eds.). *The Larvae of Indo-Pacific Coastal Fishes: An Identification Guide to Marine Fish Larvae*, Brill, Leiden, p. 394-398.
- LIMA, A.T., 2005. *Os peixes da família Sternoptychidae (Teleostei, Stomiiformes) do talude e plataforma continental brasileira entre 11°S e 23°S*. Dissertação de Mestrado. Universidade Federal do Rio de Janeiro. 85 p.
- LINDEMAN, K.C.; RICHARDS, W.J.; LYCZKOWSKI-SHULTZ, J.; DRASS, D. M.; PARIS, C.B.; LEIS, J.M.; LARA, M.; COMYNS B.H., 2006. Lutjanidae: Snappers. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1225-1334.
- LUIZ-JÚNIOR, O.J.; FLOETER, S.R.; GASPARINI, J.L.; FERREIRA, C.E.L.; WIRTZ, P., 2004. The occurrence of *Acanthurus monroviae* (Perciformes: Acanthuridae) in the south-western Atlantic, with comments on other eastern Atlantic reef fishes occurring in Brazil. *Journal of Fish Biology* n. 65, p.1173-1179.

- LYCZKOWSKI-SHULTZ, J. 2006. Tetraodontidae: Puffers. In: RICHARDS, W. J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. CRC Press, Boca Raton, Florida. v. 2, p. 2439-2448.
- LYCZKOWSKI-SHULTZ, J.; BOND, P.J., 2006. Paralichthyidae: Sand flounders. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2291-2336.
- LYCZKOWSKI-SHULTZ, J.; KONIECZNA, M.; RICHARDS, W.J., 2000. Occurrence of the larvae of Beryciform fishes in the Gulf of México. *Bulletin of the Sea Fisheries Institute*. v. 151, n. 3, p. 55-65.
- MACEDO, A.P.S.; MONTEIRO-RIBAS, W.M., 2006. Pleuronectiformes. In: BONECKER, A.C.T.; CASTRO, M.S. (Eds.) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. p. 176-190.
- MARKLE, C.F.; OLNEY, J.E., 1990. Systematics of the Pearlfishes (Pisces, Carapidae). *Bulletin of Marine Science*, v. 47, n. 2, p. 269-410.
- MATSUURA, Y.; de SILVA, G.A.C., KATSURAGAWA, M.; SUZUKI K., 1993. Distribution and abundance of two species of codlet (Teleostei, Bregmacerotidea) larvae from the South-Eastern of Brazilian Bight. *Fisheries Oceanography*, v. 2, n. 2, p. 82-90.
- MATSUURA, Y.; SUZUKI, K. 1997. Larval development of two species of barracuda, *Sphyræna guachancho* and *S. tome* (Teleostei: Sphyrænidae), from the southeastern Brazil. *Ichthyological Research*, v.44, n. 4, p. 369-378.
- McEACHRAN, J.D., 2002. Perciformes: Trachinoidei: Chiasmodontidae: Swallowers. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p.1742-1743.
- MENEZES, N.A.; FIGUEIREDO, J.L., 1980. *Manual de Peixes Marinhos do Sudeste do Brasil*. IV. *Teleostei (3)*. Museu de Zoologia, Universidade de São Paulo. 96 p.
- MENEZES, N.A.; FIGUEIREDO, J.L., 1985. *Manual de Peixes Marinhos do Sudeste do Brasil*. V. *Teleostei (4)*. Museu de Zoologia da Universidade de São Paulo, São Paulo. 106 p.
- MENEZES, N. A.; BUCKUP, P. A.; FIGUEIREDO, J.L.; MOURA, R.L. 2003. *Catálogo das espécies de peixes marinhos do Brasil*. Museu de Zoologia da Universidade de São Paulo, São Paulo. 160 p.
- MERRETT, N.R., 2006. Bathygadidae & Macrouridae: Grenadiers. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 595-616.
- MINCARONE, M.M.; NIELSEN, J.G.; COSTA, P.A.S. 2008. Deep-sea ophidiiform fishes collected on the Brazilian continental slope, between 11° and 23°S. *Zootaxa*, v. 1770, p. 41-64.
- MIYA, M., 1994. *Cyclothone kobayashii*, a new gonostomatid fish (Teleostei: Stomiiformes) from the Southern Ocean, with notes on its ecology. *Copeia*. v. 1994, n.1, p. 191-204.
- MONTEIRO-RIBAS, W.M.; BONECKER, A.C.T., 2001. Artificial fertilization and development in laboratory of *Mugil liza* (Valenciennes, 1836) (Osteichthyes, Mugilidae). *Bulletin of Marine Science*, v. 68, n. 3, p. 427-433.
- MORROW Jr., J.E., 1964a. Family Chauliodontidae. In: BIGELOW, H.B.; BREDER, C.M.; COHEN, D.M.; MEAD, G.W.; MERRIMAN, D.; OLSEN, Y.H.; SCHROEDER, W.C.; SCHULTZ, L.P.; TEE-VAN, J. (Eds.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, n°1, Pt. 4. p. 274-289.
- MORROW Jr., J.E., 1964b. Family Stomiidae. In: BIGELOW, H.B.; BREDER, C.M.; COHEN, D.M.; MEAD, G.W.; MERRIMAN, D.; OLSEN, Y.H.; SCHROEDER, W.C.; SCHULTZ, L.P.; TEE-VAN, J. (Eds.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, n°1, Pt. 4, p. 290-310.
- MOSER, H.G., 1996. Stomiidae: Scaly dragonfishes. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n°33, p. 301-303.
- MOSER, H.G.; AHLSTROM, E.H.; SANDKNOP, E.M., 1977. Guide to the identification of Scorpionfish larvae (Family Scorpaenidae) in the Eastern Pacific with comparative notes on species of *Sebastes* and *Helicolenus* from other oceans. NOAA Technical Report NMFS Circular 402. 71 p.
- MOSER, H.G.; AHLSTROM, E.H., 1996. Myctophidae: Lanternfishes. In: MOSER, H.G. (Ed.) *The early stages of fishes in the California Current Region*. La Jolla, Calcofi, Atlas n° 33, p. 387-475.

- MOSER, H.G.; MUNDY, B.C., 1996. Bramidae: Pomfrets. In: MOSER, H. G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas nº33, p. 964-971.
- MOSER, H.G.; WATSON, W., 2006. Myctophidae. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 473-580.
- MOURA, R.L.; CASTRO, R.M.C. 2002. Revision of Atlantic sharpnose pufferfishes (Tetraodontiformes: Tetraodontidae: *Canthigaster*), with description of three new species. *Proceedings of the biological society of Washington*, v. 115, n. 1, p. 32-50.
- NAPPAKTITIS, B.G.; BACKUS, R.H.; CRADDOCK, J.E.; HAEDRICH, R.L.; ROBINSON, B.H.; KARNELLA, C., 1977. Family Myctophidae. In: GIBBS Jr., R.H. (Ed.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, nº1, Pt. 7, p. 13-287.
- NAMIKI, C.A.P.; BONECKER, A.C.T., 2006. Ophidiiformes. In: BONECKER, A.C.T.; CASTRO, M.S. (Eds.) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. Museu Nacional. p. 153-155.
- NAMIKI, C.; BONECKER, A.C.T.; CASTRO, M.S., 2007a. Occurrence and abundance of three larval codlet species (Bregmacerotidae, Teleostei) in the Southwest Atlantic Ocean (12–22°S). *Journal of Applied Ichthyology*, v. 23, p. 136-141.
- NAMIKI, C.; BONECKER, A.C.T.; CASTRO, M.S., 2007b. Carapidae larvae (Acanthomorpha, Paracanthopterygii, Ophidiiformes) from the oceanic region of the southwest Atlantic Ocean off Brazil (12–22°S). *Deep-Sea Research I*, v. 54, p. 292–295.
- NAMIKI, C.A.P.; BONECKER, A.C.T.; MONTEIRO-RIBAS, W.M., 2006. Gadiformes. In: BONECKER, A.C.T.; CASTRO, M.S. (Eds.) *Atlas de larvas de peixes da região central da Zona Econômica Exclusiva brasileira*. Museu Nacional. p. 157-60.
- NELSON, J.R. 2006. *Fishes of the World*. John Wiley & Sons. 4ª edição. 601 p.
- OLIVAR, M.P.; FORTUÑO, J.M., 1991. Guide to Ichthyoplankton of the Southeast Atlantic (Benguela Current Region). *Science Marine*, v. 55, n. 1, p. 1-383.
- OLNEY, J.E., 2006a. Trachipteridae: Dealfishes, Ribbonfishes. In: RICHARDS, W.J. (Ed.) *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1019-1026
- OLNEY, J.E., 2006b. Carapidae: Pearlfishes. In: RICHARDS, W.J. (Ed.) *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 749-757.
- OZAWA, T. 1986. Scopelarchid Fish Larvae in the Ocean off Southern Japan. In: OZAWA, T. (Ed.) *Studies on the Oceanic Ichthyoplankton in the Western North Pacific*. Kyushu University Press. Fukuoka. p. 212-222.
- PARIN, N.V.; KOBLYANSKY, S.G., 1996. Diagnoses and Distribution of Fifteen Species Recognized in Genus *Maurolicus* Cocco (Sternoptychidae, Stomiiformes) with a Key to their Identification. *Cybium*, v. 20, n. 2, p. 185-195.
- PHONLOR, G., 1984. Morfologia e biologia de larvas de *Engraulis anchoita* (Hubbs & Marini), (Osteichthyes, Engraulidae). *Atlântica*, Rio Grande, v. 7, p. 85-98.
- POWELL, A.B.; GREENE, M.D., 2006a. Gerreidae: Mojarras. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1591-1596.
- POWELL, A.B.; GREENE, M.D., 2006b. Callionymidae: Dragonets. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2015-2022.
- RANDALL, J.E., 2002a. Perciformes: Percoidei: Mullidae: Goatfishes. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1654-1659.
- RANDALL, J.E., 2002b. Perciformes: Percoidei: Cirrhitidae: Swallowers. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 3321-3328.
- RICHARDS, W.J. (Ed), 2006. *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. v. I e v. II, 2.640 p.
- RICHARDS, W.J., 2006a. Gonostomatidae: Bristlemouths. In: RICHARDS, W.J. (Ed.) *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 183-216.



- RICHARDS, W.J., 2006b. Sternoptychidae: Marine Hatchetfishes & Relatives. In: RICHARDS, W.J. (Ed). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 217-246.
- RICHARDS, W.J., 2006c. Phosichthyidae: Lightfishes. In: RICHARDS, W.J. (Ed). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 247-266.
- RICHARDS, W.J., 2006d. Chauliodontidae: Viperfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 271-274.
- RICHARDS, W.J., 2006e. Melanostomiidae: Scaleless dragonfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 283-288.
- RICHARDS, W.J., 2006f. Stomiidae: Scaly dragonfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 275-278.
- RICHARDS, W.J., 2006g. Notosudidae: Paperbones. In: RICHARDS, W.J. (Ed.) *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 347-358.
- RICHARDS, W.J., 2006h. Bramidae: Pomfrets. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1517-1538.
- RICHARDS, W.J., 2006i. Gempylidae: Snake Mackerels. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2155-2176.
- RICHARDS, W.J., 2006j. Scombridae: Mackerels & Tunas. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2187-2228.
- RICHARDS, W.J.; BALDWIN, C.C.; RÖPKE, A., 2006. Serranidae: Sea basses. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. CRC Press, Taylor & Francis Group. p. 1225-1335.
- ROCHA, L.A.; BASS, A.L.; ROBERTSON, D.R. BOWEN, B.W., 2002. Adult habitat preferences, larval dispersal, and the comparative phylogeography of three Atlantic surgeonfishes (Teleostei: Acanthuridae). *Molecular Ecology* n.11, p. 243-252.
- ROFEN, R.R., 1966a. Family Paralepididae. Barracudinas. In: MEAD, G.W. (Ed.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, n°1, Pt. 5. p. 205-510.
- ROFEN, R.R., 1966b. Families Anotopteridae, Evermannellidae and Scopelarchidae. In: MEAD, G.W. (Ed.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, n°1, Pt. 5. p. 511-602.
- RUIZ-CARUS, R., 2006. Acropomatidae: Oceanic basses. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 1207-1216.
- RUSSELL, B.C., 2002. Perciformes: Scombroidei: Sphyraenidae: Barracudas. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1807-1811.
- SANDKNOP, E.M.; WATSON, W., 1996a. Melamphidae: Bigscales. In: MOSER, H. G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n°33, p. 692-712.
- SANDKNOP, E.M.; WATSON, W., 1996b. Sphyraenidae: Barracudas. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n°33, p. 1250-1256.
- SANTOS, A.P. dos; FIGUEIREDO, J.L. de., 2008. *Guia de identificação dos peixes da família Myctophidae do Brasil*. EDUSP. São Paulo. 176 p.
- SHIPP, R.L. 2002. Tetraodontiformes: Tetraodontidae. In: CARPENTER, K. E. *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1988-1998.
- SMITH, D.G., 1989a. Family Chlopsidae: Leptocephali. In: BÖHLKE, E.B. (Ed.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, n°1, Pt. 9, v. 2, p. 933-942.
- SMITH, D.G., 1989b. Family Muraenidae: Leptocephali. In: BÖHLKE, E.B. (Ed.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research. n°1, Pt. 9, v. 2, p. 900-916

- SMITH, D.G., 1989c. Family Congridae: Leptocephali. In: BÖHLKE, E.B. (Ed.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, n°1, Pt. 9, v. 2, p. 723-763.
- SMITH, D.G. 1989d. Family Nemichthyidae: Leptocephali. In: BÖHLKE, E.B. (Ed.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, n°1, Pt. 9, v. 2, p. 925-932.
- SMITH, D.G., 1989e. Family Nettastomatidae: Leptocephali. In: BÖHLKE, E.B. (Ed.). *Fishes of the Western North Atlantic*. Memoir Sears Foundation for Marine Research, n°1, Pt. 9, v. 2, p. 704-722.
- SMITH, D.G.; CASTLE, P.H.J., 1982. *Larvae of the Nettastomatid eels: systematics and distribution*. The Carlsberg Foundation's oceanographical expeditions round the world 1928-30 and previous "DANA"- expeditions. DANA-Report N°90. Scandinavian Science Press Ltda. Copenhagen. 44 p.
- SMITH-VANIZ, W.F., 2002. Perciformes: Percoidei: Carangidae: Jacks and scads (bumpers, pompanos, leatherjacks, amberjacks, pilotfishes, rudderfishes). In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1426-1468.
- SZPILMAN, M. 2000. *Peixes marinhos do Brasil: guia prático de identificação*. Rio de Janeiro. Instituto Ecológico Aqualung. 288 p.
- TYLER, J.C.; JOHNSON, G.D.; BROTHERS, E.B.; TYLER, D.M.; SMITH, C.L., 1993. Comparative early life histories of Western Atlantic Squirrelfishes (Holocentridae): age and settlement of rhynchichthys, meeki, and juvenile stages. *Bulletin of Marine Science*, v. 53, n. 3, p. 1126-1150.
- WATSON, W., 1996a. Gonostomatidae: Bristlemouths. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n°33, p. 247-267.
- WATSON, W., 1996b. Phosichthyidae: Lightfishes. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n°33, p. 284-293.
- WATSON, W., 1996c. Serranidae: Sea basses. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 876-899.
- WATSON, W., 1996d. Gerreidae: Mojarras. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 998-1001.]
- WATSON, W., 1996e. Mullidae: Goatfishes. In: MOSER, H. G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1034-1037.
- WATSON, W., 1996f. Cirrhitidae: Hawkfishes. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1064-1067.
- WATSON, W., 1996g. Pomacentridae: Damselfishes. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1054-1063.
- WATSON, W., 1996h. Labridae: Wrasses. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1088-1103.
- WATSON, W., 1996i. Scaridae: Parrotfishes. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1104-1109.
- WATSON, W., 1996j. Callionymidae: Dragonets. In: MOSER, H.G. *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1205-1207.
- WATSON, W., 1996k. Gobiidae: Gobies. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1214-1245.
- WATSON, W., 1996l. Nomeidae: Driftfishes. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1300-1311.
- WATSON, W., 1996m. Monacanthidae: Filefishes. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1422-1423.

- WATSON, W.; CHARTER, S.R.; MOSER, H.G.; AMBROSE, D.A.; SANDKNOP, E.M., 1996. Carangidae: Jacks. In: MOSER, H. G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 914-953.
- WATSON, W.; SANDKNOP, E.M., 1996. Chiasmodontidae: Swallowers. In: MOSER, H.G. (Ed.). *The Early Stages of Fishes in the California Current Region*. La Jolla, Calcofi. Atlas n° 33, p. 1131-1137.
- WATSON, W.; WALKER, JR. H.J., 2006. Ptereleotridae: Dartfishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2105-2108.
- WESTNEAT, M.W., 2002a. Perciformes: Labroidei: Labridae: Wrasses. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1701-1709.
- WESTNEAT, M.W., 2002b. Perciformes: Labroidei: Scaridae: Parrotfishes. In: CARPENTER, K.E. (Ed.). *The living marine resources of the Western Central Atlantic*. Rome: FAO. p. 1723-1732.
- YEUNG, C.; RUPLE, D., 2006. Gobiidae: Gobies. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2029-2078.
- ZAPFE, G.A.; LYCZKOWSKI-SHULTZ, J., 2006. Monacanthidae: Filefishes. In: RICHARDS, W.J. (Ed.). *Early Stages of Atlantic Fishes: An Identification Guide for the Western Central North Atlantic*. Taylor & Francis Group. p. 2399-2428.

